


## Granite Pavers

### Product Specification Sheet

#### RAVEN GRANITE



#### Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	85kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x30mm	85kg/m <sup>2</sup>	12.24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
400x400x30mm	85kg/m <sup>2</sup>	10.88m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	57kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x20mm	57kg/m <sup>2</sup>	18m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

#### Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	20kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	20kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	33kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	33kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

#### Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x180x20mm	12kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## Cobblestones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
90x90x20mm on mesh Brick Pattern	52kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Split	+/- 2mm	+/- 2mm
90x90x30mm on mesh Brick Pattern	77kg/m <sup>2</sup>	16.2m <sup>2</sup>	P5	Split	+/- 2mm	+/- 2mm

## GRIS GRANITE



## Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	83kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x30mm	83kg/m <sup>2</sup>	12.24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
400x400x30mm	83kg/m <sup>2</sup>	10.88m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	56kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x20mm	56kg/m <sup>2</sup>	18m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

## Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30/80mm Drop edge	24kg each	34Pcs	P5	Drop Edge	+/- 2mm	+/- 2mm
600x400x30mm	20kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	20kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	32kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	32kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

## Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x180x30mm	18kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
1200x180x20mm	12kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

### Cobblestones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
90x90x20mm on mesh Brick Pattern	52kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Split	+/- 2mm	+/- 2mm
90x90x30mm on mesh Brick Pattern	77kg/m <sup>2</sup>	16.2m <sup>2</sup>	P5	Split	+/- 2mm	+/- 2mm

### Stepping Stones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
1210x400x30mm	40kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
800x400x30mm	25.69kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
600x600x30mm	30kg each	34Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

### MISTRAL GRANITE



### Pavers & Tiles

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
600x400x30mm	87kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	58kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

### Copings & Steps

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
600x400x30mm	21kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

### Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x180x30mm	13kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

### Stepping Stones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x400x30mm	42kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
800x400x30mm	28kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

### GABBO GRANITE



### Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	88kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	59kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x20mm	59kg/m <sup>2</sup>	18m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

### Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	21kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	21kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

### Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x180x20mm	13kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## Stepping Stones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x400x30mm	42kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
800x400x30mm	28kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## GRAPHENE GRANITE



## Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	87kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x30mm	87kg/m <sup>2</sup>	12.24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	58kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x20mm	58kg/m <sup>2</sup>	18m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

## Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	21kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	21kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	34kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

## Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x145x30mm	11kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## Stepping Stones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x400x30mm	42kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
800x400x30mm	28kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
600x600x30mm	32kg each	34Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## FENESTER GRANITE



## Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	78kg/m <sup>2</sup>	16.32m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	52kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Trimmed	+/- 2mm	+/- 2mm

## Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	19kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	19kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	31kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	31kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

## Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1210x180x20mm	12kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

## Cobblestones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
90x90x20mm on mesh Brick Pattern	52kg/m <sup>2</sup>	24m <sup>2</sup>	P5	Split	+/- 2mm	+/- 2mm

[www.armstone.com.au](http://www.armstone.com.au)

Locations: **Glebe NSW** and **Penrith NSW**

**1300 560 560**

**armstone**  
creating a difference