

Crazy Pavers

Product Specification Sheet

CULBURRA QUARTZ CRAZY



Modular & Irregular

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Surface/Edge Finish
Crazy Paving 25-40mm	95kg/m ²	11m ²	P5	Natural Split all sides

PAZZO SLATE CRAZY



Modular & Irregular

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Surface/Edge Finish
Crazy Paving 20-30mm	60kg/m ²	12m ²	P5	Natural Split all sides

Stepping Stones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Surface/Edge Finish
Approx. 300x400x30-40mm Organic	kg each	40Pcs	P5	Natural Split all sides
Approx. 400x500x30-40mm Organic	kg each	30Pcs	P5	Natural Split all sides
Approx. 500x600x30-40mm Organic	kg each	25Pcs	P5	Natural Split all sides

Cobblestones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Surface/Edge Finish
100x100x30-50mm	90kg/m ²	12m ²	P5	Natural Split all sides
Random Length x100x30-50mm	90kg/m ²	12m ²	P5	Natural Split all sides
Random Length x100x30-50mm	90kg/m ²	12m ²	P5	Natural Split all sides

MELBA LIMESTONE CRAZY



Modular & Irregular

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
Crazy Paving 20mm	56kg/m ²	27.5m ²	P4	Rumbled		+/- 2mm
French Pattern 30mm	77kg/m ²	15.84m ²	P4	Rumbled	+/- 2mm	+/- 2mm
French Pattern 15mm	40.71kg/m ²	34.56m ²	P4	Rumbled	+/- 2mm	+/- 2mm

Stepping Stones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
800x400x30mm	23kg each	33Pcs	P4	Rumbled	+/- 2mm	+/- 2mm
1200x400x30mm	38kg each	25Pcs	P4	Rumbled	+/- 2mm	+/- 2mm

Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	77.95kg/m ²	15.84m ²	P4	Rumbled	+/- 2mm	+/- 2mm
600x400x15mm	40.71kg/m ²	31.68m ²	P4	Rumbled	+/- 2mm	+/- 2mm
800x400x20mm	51kg/m ²	16m ²	P4	Rumbled	+/- 2mm	+/- 2mm

Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	19kg each	66Pcs	P4	Bullnose	+/- 2mm	+/- 2mm
800x400x30mm	22kg each	33Pcs	P4	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	19kg each	66Pcs	P4	Pencil Round	+/- 2mm	+/- 2mm
800x400x30mm	22kg each	33Pcs	P4	Pencil Round	+/- 2mm	+/- 2mm
Rebated 600x400x30/80mm	22kg each	36Pcs	P4	Rebate	+/- 2mm	+/- 2mm
Rebated 800x400x20/60mm	18kg each	24Pcs	P4	Rebate	+/- 2mm	+/- 2mm
Step Tread 1200x400x30mm	38kg each	25Pcs	P4	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1200x400x30mm	38kg each	25Pcs	P4	Pencil Round	+/- 2mm	+/- 2mm

Cobblestones

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
230x76x30mm	74kg/m ²	11.42m ²	P4	Rumbled	+/- 2mm	+/- 2mm

TRELLO LIMESTONE CRAZY



Modular & Irregular

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
Crazy Paving 20mm	56kg/m ²	27.5m ²	P5	Split		+/- 2mm
French Pattern 30mm	80kg/m ²	15.84m ²	P5	Rumbled	+/- 2mm	+/- 2mm

Stepping Stones

Size mm	Weight	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
	UOM				Dimension	Thickness
800x400x30mm	22kg each	33Pcs	P5	Rumbled	+/- 2mm	+/- 2mm
1200x400x30mm	38kg each	25Pcs	P5	Rumbled	+/- 2mm	+/- 2mm

Pavers & Tiles

Size mm	Weight	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
	UOM				Dimension	Thickness
600x400x30mm	78.54kg/m ²	15.84m ²	P5	Rumbled	+/- 2mm	+/- 2mm
600x400x20mm	45.33kg/m ²	24m ²	P5	Rumbled	+/- 2mm	+/- 2mm
800x400x20mm	51kg/m ²	16m ²	P5	Rumbled	+/- 2mm	+/- 2mm

Copings & Steps

Size mm	Weight	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
	UOM				Dimension	Thickness
600x400x30mm	18.85kg each	66Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
800x400x30mm	22kg each	33Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	18.85kg each	66Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
800x400x30mm	22kg each	33Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Rebated 600x400x30/80mm	21.38kg each	36Pcs	P5	Rebate	+/- 2mm	+/- 2mm
Rebated 800x400x20/60mm	19kg each	24Pcs	P5	Rebate	+/- 2mm	+/- 2mm
Step Tread 1200x400x30mm	38kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1200x400x30mm	38kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

Cobblestones

Size mm	Weight	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
	UOM				Dimension	Thickness
300x70x30mm	74.2kg/m ²	14.4m ²	P5	Rumbled	+/- 2mm	+/- 2mm

NORSE MARBLE CRAZY



Modular & Irregular

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
Crazy Paving 20mm	58kg/m ²	20m ²	P4	Rumbled		+/- 2mm

Stepping Stones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
800x400x30mm	25.68kg each	33Pcs	P4	Rumbled	+/- 2mm	+/- 2mm

Pavers & Tiles

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
600x400x30mm	80.92kg/m ²	16.32m ²	P4	Rumbled	+/- 2mm	+/- 2mm

Copings & Steps

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
600x400x30mm	19.26kg each	68Pcs	P4	Bullnose	+/- 2mm	+/- 2mm
800x400x30mm	25.68kg each	33Pcs	P4	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	19.26kg each	68Pcs	P4	Pencil Round	+/- 2mm	+/- 2mm
800x400x30mm	25.68kg each	33Pcs	P4	Pencil Round	+/- 2mm	+/- 2mm
Rebated 600x400x30/80mm	22.11kg each	36Pcs	P4	Rebate	+/- 2mm	+/- 2mm

Cobblestones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
230x76x30mm	79.5kg/m ²	12m ²	P4	Rumbled	+/- 2mm	+/- 2mm

PIANURA BLUESTONE CRAZY



Modular & Irregular

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
Crazy Paving 20mm	54kg/m ²	20m ²	P5	Trimmed		+/- 2mm
Crazy Paving 30mm	80kg/m ²	15m ²	P5	Trimmed		+/- 2mm
French Pattern 30mm	80kg/m ²	16.35m ²	P5	Trimmed	+/- 2mm	+/- 2mm

Stepping Stones

Size mm	Weight	Pack Volumes	Slip Rating	Edge Finish	Size Tolerance	
	UOM	Per Crate			Dimension	Thickness
600x600x30mm Square	29kg each	34Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
800x400x30mm Rectangular	26kg each	34Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
1200x400x30mm Rectangular	39kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
1500x400x30mm Rectangular	48kg each	25Pcs	P5	Trimmed	+/- 2mm	+/- 2mm
Approx. 450x450x30mm Organic	16kg each	20Pcs	P5	Natural Skin	+/- 2mm	+/- 2mm
Approx. 600x600x30mm Organic	28kg each	20Pcs	P5	Natural Skin	+/- 2mm	+/- 2mm
Approx. 800x600x30mm Organic	38kg each	20Pcs	P5	Natural Skin	+/- 2mm	+/- 2mm
Approx. 1000x800x30mm Organic	63kg each	20Pcs	P5	Natural Skin	+/- 2mm	+/- 2mm
400mm diameter Circular	11kg each	20Pcs	P5	Sawn & Beveled	+/- 2mm	+/- 2mm
500mm diameter Circular	17kg each	20Pcs	P5	Sawn & Beveled	+/- 2mm	+/- 2mm
600mm diameter Circular	23kg each	20Pcs	P5	Sawn & Beveled	+/- 2mm	+/- 2mm

Pavers & Tiles

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30mm	80kg/m ²	16.32m ²	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x30mm	80kg/m ²	12.24m ²	P5	Trimmed	+/- 2mm	+/- 2mm
400x400x30mm	80kg/m ²	10.88m ²	P5	Trimmed	+/- 2mm	+/- 2mm
600x400x20mm	54kg/m ²	24m ²	P5	Trimmed	+/- 2mm	+/- 2mm
600x300x20mm	54kg/m ²	18m ²	P5	Trimmed	+/- 2mm	+/- 2mm

Modular & Irregular

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
French Pattern 30mm	80kg/m ²	16.35m ²	P5	Trimmed	+/- 2mm	+/- 2mm
Crazy Paving 20mm	54kg/m ²	20m ²	P5	Split		+/- 2mm
Crazy Paving 30mm	80kg/m ²	15m ²	P5	Split		+/- 2mm

Copings & Steps

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
600x400x30/80mm Drop edge	23kg each	34Pcs	P5	Drop Edge	+/- 2mm	+/- 2mm
600x400x30mm	20kg each	68Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
600x400x30mm	20kg each	68Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	31kg each	25Pcs	P5	Bullnose	+/- 2mm	+/- 2mm
Step Tread 1210x320x30mm	31kg each	25Pcs	P5	Pencil Round	+/- 2mm	+/- 2mm

Risers

Size mm	Weight UOM	Pack Volumes Per Crate	Slip Rating	Edge Finish	Size Tolerance	
					Dimension	Thickness
1200x180x20mm	12kg each	50Pcs	P5	Trimmed	+/- 2mm	+/- 2mm

www.armstone.com.au

Locations: **Glebe NSW** and **Penrith NSW**

1300 560 560

armstone
creating a difference